EM CU BOX PRO 105V TS 3W 1h Emergency Lighting Unit Emergency Lighting Unit for the conversion of existing LED luminaires





The EM CU BOX PRO combines a pre-wired emergency lighting driver and a battery in a plastic housing, allowing existing luminaires to be easily retrofitted for use as emergency lighting conforming to the European selftest standard. As the EM CU BOX PRO is compatible with all dimmable and non-dimmable LED drivers, neither a combo device nor a special driver is required. Thanks to a plug-in system and the option of loop-through wiring, installation can be completed in just a few steps. The LiFePO4 battery technologies are supported and charged by microprocessor controlled cycles corresponding to the battery. A battery regeneration process of capacity optimisation is initiated automatically after commissioning as well as after each battery exchange.

Technical specifications

Mains voltage range:	220 – 240 V 50 / 60 Hz
Output voltage range:	20-105 V
Max. output voltage:	120 V
Output power in emergency mode:	3 W ±15 %
Power consumption:	max. 3 W / 4,2 VA
Switchover time mains to emergency: < 0,5 s	

Functionality test:	weekly 2 min.
Duration test:	Annually
Battery charging time:	24 h
Protection classes:	I and II
Protection type:	IP20
Weight:	560 g


Article


EM CU BOX PRO 105V TS 3W 1h Art. Nr. 1389110530


Properties

- Non-maintained mode
- 1h emergency operation duration
- (Switched) Maintained mode in combination with an external LED driver
- Selftest conforming to IEC 62034
- Bus communication options available
- LED status display
- Compatible with all dimmable and non-dimmable LED drivers
- 5-pin technology: LED module changeover switching and delayed LED driver power switching
- Constant power output in emergency mode
- Specific charging currents and charging cycles corresponding with the respective battery technology (LiFePO4)
- Deep discharge protection










Product liability:

Please note that the maximum voltage in case of LED module failure may reach 60V. The requirement of the EN 60598-1 standard concerning security must be fulfilled after the integration of the emergency lighting unit in the LED luminaire. It is the emergency lighting unit's user's full responsibility to comply with the EN 60598-1 standard. Any liability concerning standards compliance and correct emergency lighting unit selection will be denied by the manufacturer.

Selftest

- Selftest conforming to IEC 62034
- Bi-colour LED status display
- Battery status
- LED module status
- Charging cycle



LED green: System fault free

LED red blinking: Mains available with battery not connected of faulty battery

LED red intermittend blinking: Light defect of not connected

LED off: Mains fault, Mains under 160 V, Battery fully discharged or faulty emergency unit



Batteries

- High-temperature cellls 5 to 50 °C
- LiFePO₄ batteries
- 18650 cells
- Charging time 24 h
- 4 years expected life duration
- 12 months warranty
- Battery regeneration for capacity optimisation

Safety

- Protection classes I and II
- Protection type IP20


Standards

- EN 60598-2-22
- EN 61347-2-7
- EN 61347-2-13
- EN 62384
- EN 62034
- EN 55015
- EN 61000-3-2
- EN 61000-3-3
- EN 61547
- Suitable for systems conforming to: VDE 0108 or EN 50172

Certification marks

- CENELEC certificate (pending)
- CE

Connection diagram



= reinforced insulation between LED-module and mains

